

Содержание

Adlink	3
---------------------	----------

Adlink

name:

Adlink

country:

Taiwan

link:

<https://www.adlinktech.com/>

tags:

[som](#), [som-com-express](#), [som-smarc](#), [som-com-hpc](#), [som-osm](#), [som-etx](#), [som-qseven](#)

img	struct	link	pin	formfactor	manufacturer	cpu	emmc	ram	temprange	dp	hdmi	i2s	ethernet	dsd	csi	usb2	usb3	pcie	can	spi	i2c	smbus	i2t	dimension	bios	datasheet_wiki	page_wiki
		adlink_nano-el	nanot-EL	COM Express Type 10	Adlink	Intel Atom x6000E	16/32/64 GB	2/4/8/16 GB LPDDR4	0...+60 °C, 40...+85 °C	1 DP(HDMI/VDI)		Single Channel via eMMC+1 USB-C (or eDP)	1 (2.5 GbE, GbE)			6B)	2	H4 x L1 x2 x 2...x3 x 4-pin 3	1 (in place of UART1)	1 (BIOS, I2C)	1 (from EC, option from CPU)	1	2 (UART1 or CAN) (from EC, from CPU option)	84 x 55 mm	AMI UEFI	link	page

[som](#), [som-com-express](#), [som-smarc](#), [som-com-hpc](#), [som-osm](#), [som-etx](#), [som-qseven](#)